Pain, 60 (1995) 357–359
© 1995 Elsevier Science B.V. All rights reserved 0304-3959/95/$09.50

Author Index to Volume 60 (1995)

Abbadic, C. and Besson, J.-M.
Reply to P. Lökken et al. (60) 232
Abbott, F.V., Franklin, K.B.J. and Westbrook, R.F.
The formalin test: scoring properties of the first and second phases of the pain response in rats (60) 91
Aldrighetti, L., see De Conno, F. (60) 234
Alessandri, M., see Fanciullacci, M. (60) 119
Altmaier, E.M., see Paulsen, J.S. (60) 103
Amakawa, K., see Nagaro, T. (60) 355
Andrews, H.B., see Harper, A.C. (60) 73
Arai, T., see Nagaro, T. (60) 355
Arendt-Nielsen, L., see Poulsen, L. (60) 287
Ariely, D., see Dar, R. (60) 189
Arndt, G., see Backonja, M.-M.. (60) 115
Axelsson, G., see Persson, J. (60) 217

Backonja, M.-M.. and Arndt, G.
Reply to T.G. Bushnell and J. Craig (60) 115
Baron, R. and Maier, C.
Phantom limb pain: are cutaneous nociceptors and spinothalamic neurons involved in the signaling and maintenance of spontaneous and touch-evoked pain? A case report (60) 223
Barr, G.A., see Yi, D.K. (60) 257
Besson, J.-M., see Abbadic, C. (60) 232
Beuk, R.J., see Kurvers, H.A.J.M. (60) 333
Beylich, G., see Hoheisel, U. (60) 151
Blanchard, E.B., see Hermann, C. (60) 239
Bonicalzii, V., see Canavero, S. (60) 229
Brøsen, K., see Poulsen, L. (60) 287
Brown, D.L.
Reply to Traycoff et al. 'Letter-to-the-Editor' and Comments on DeConno and Brown (60) 235
Bushnell, T.G. and Craig, J.
Response of chronic neuropathic pain syndromes to ketamine: a role for norketamine? (60) 115
Byas-Smith, M.G., Max, M.B., Muir, J. and Kingman, A.
Transdermal clonidine compared to placebo in painful diabetic neuropathy using a two-stage 'enriched enrollment' design (60) 267

Campbell, J.N., see Cerveró, F. (60) 352
Canavero, S., Bonicalzii, V. and Pagni, C.A.
The riddle of trigeminal neuralgia (60) 229
Caraceni, A., see De Conno, F. (60) 234
Cerveró, F., Meyer, R.A. and Campbell, J.N.
Reply to P. Procacci and M. Maresca (60) 352
Chan Gunn, C.
'Fibromyalgia' — "What have we created?" (Wolfe 1993) (60) 349
Chudler, E.H. and Dong, W.K.
The role of the basal ganglia in nociception and pain (60) 3
Claus, D., see Lang, E. (60) 295
Comi, G., see De Conno, F. (60) 234
Craig, J., see Bushnell, T.G. (60) 115
Cumming, G., see Lewis, B. (60) 341
Cunningham, J.E., see Tracey, D.J. (60) 317

Dane, J.R., see Kiernan, B.D. (60) 39
Dar, R., Ariely, D. and Frenk, H.
The effect of past-injury on pain threshold and tolerance (60) 189
De Conno, F., Caraceni, A., Ventafridda, V., Aldrighetti, L., Ferla, G., Magnani, G. and Comi, G.
Reply to the letter by Dr R.B. Traycoff et al. (60) 234
De Gagné, T.A., Mikail, S.F. and D'Eon, J.L.
Confirmatory factor analysis of a 4-factor model of chronic pain evaluation (60) 195
De Klerk, N.H., see Harper, A.C. (60) 73
D'Eon, J.L., see De Gagné, T.A. (60) 195
Desmeules, J., see Kayser, V. (60) 275
Devor, M., see Rappaport, Z.H. (60) 230
Dong, W.K., see Chudler, E.H. (60) 3
Drummond, P.D.
Noradrenaline increases hyperalgesia to heat in skin sensitized by capsaicin (60) 311

Eblen-Zajjur, A., see Sandkühler, J. (60) 55
Ernst, E.
Bitter pills of nature: safety issues in complementary medicine (60) 237

Fanciullacci, M., Alessandri, M., Figini, M., Geppetti, P. and Michelacci, S.
Increase in plasma calcitonin gene-related peptide from the extracerebral circulation during nitroglycerin-induced cluster headache attack (60) 119
Ferla, G., see De Conno, F. (60) 234
Figini, M., see Fanciullacci, M. (60) 119
Flodman, P., see Mogil, J.S. (60) 125
Forsten, C., see Pilowsky, I. (60) 49
Forster, C., see Sandkühler, J. (60) 55
Franklin, K.B.J., see Abbott, F.V. (60) 91
Frenk, H., see Dar, R. (60) 189
Fu, Q.-G., see Sandkühler, J. (60) 55

Geisser, M.E.
Reply to J.M. Walker (60) 351
Gelgor, L. and Mitchell, D.
Prostanoid synthesis in the spinal cord enhances excitability of dorsal horn convergent neurones during reperfusion of ischaemic receptive fields on the rat's tail (60) 181
Geppetti, P., see Fanciullacci, M. (60) 119
Gracely, R.H.
Hypnosis and hierarchical pain control systems (60) 1
Gram, L.F., see Poulsen, L. (60) 287
Guilbaud, G., see Kayser, V. (60) 275
Gybels, J., see Kupers, R. (60) 137

Hallin, R.G., see Persson, J. (60) 217
Handwerker, H.O., see Lang, E. (60) 295
Harper, A.C., Harper, D.A., Lambert, L.J., De Klerk, N.H., Andrews, H.B., Ross, F.M., Straker, L.J. and Lo, S.K.
Development and validation of the Curtin Back Screening Questionnaire (CBSQ): a discriminative disability measure (60) 73

Harper, D.A., see Harper, A.C. (60) 73
Hemli, J.A., see Yarnitsky, D. (60) 329
Hermann, C., Kim, M. and Blanchard, E.B.
Behavioral and prophylactic pharmacological intervention studies of pediatric migraine: an exploratory meta-analysis (60) 239
Hoheisel, U., Beylich, G. and Mense, S.
Effects of an acute muscle nerve section on the excitability of dorsal horn neurones in the rat (60) 151
Hu, J.W., see Yu, X.-M. (60) 143

Jacobs, M.J.H.M., see Kurvers, H.A.J.M. (60) 333
Jaffe, R.A. and Rowe, M.A.
Subanesthetic concentrations of lidocaine selectively inhibit a nociceptive response in the isolated rat spinal cord (60) 167
Jakobson, Å., see Westlin, J.-E. (60) 111
Jensen, M.P., Turner, J.A., Romano, J.M. and Strom, S.E.
The Chronic Pain Coping Inventory: development and preliminary validation (60) 203

Katsumata, K., see Sakurada, T. (60) 175
Kayser, V., Desmeules, J. and Guilbaud, G.
Systemic clonidine differentially modulates the abnormal reactions to mechanical and thermal stimuli in rats with peripheral mononeuropathy (60) 275
Kest, B., see Mogil, J.S. (60) 125
Khardori, R., see Traycoff, R.B. (60) 233
Kiernan, B.D., Dane, J.R., Phillips, L.H. and Price, D.D.
Hypnotic analgesia reduces R-III nociceptive reflex: further evidence concerning the multifactorial nature of hypnotic analgesia (60) 39
Kim, M., see Hermann, C. (60) 239
Kimura, S., see Nagaro, T. (60) 355
Kingman, A., see Byas-Smith, M.G. (60) 267
Kisara, K., see Sakurada, T. (60) 175
Kitslaar, P.J.E.H.M., see Kurvers, H.A.J.M. (60) 333
Kupers, R. and Gybels, J.
The consumption of fentanyl is increased in rats with nociceptive but not with neuropathic pain (60) 137
Kurvers, H.A.J.M., Jacobs, M.J.H.M., Beuk, R.J., Van den Wildenberg, F.A.J.M., Kitslaar, P.J.E.H.M., Slaaf, D.W. and Reneman, R.S.
Reflex sympathetic dystrophy: evolution of microcirculatory disturbances in time (60) 333

Lambert, L.J., see Harper, A.C. (60) 73
Lang, E., Claus, D., Neundörfer, B. and Handwerker, H.O.
Parameters of thick and thin nerve-fiber functions as predictors of pain in carpal tunnel syndrome (60) 295
Letocha, H., see Westlin, J.-E. (60) 111
Lewis, B., Lewis, D. and Cumming, G.
Frequent measurement of chronic pain: an electronic diary and empirical findings (60) 341
Lewis, D., see Lewis, B. (60) 341
L.Gustafsson, L., see Persson, J. (60) 217
Liebeskind, J.C., see Mogil, J.S. (60) 125
Lo, S.K., see Harper, A.C. (60) 73
Lökken, P., Skoglund, L.A. and Skjelbred, P.
Anti-inflammatory efficacy of treatments with aspirin and acetaminophen (60) 231

Magnani, G., see De Conno, F. (60) 234
Maier, C., see Baron, R. (60) 223
Malmberg, A.B. and Yaksh, T.L.
Effect of continuous intrathecal infusion of ω-conopeptides, N-type calcium-channel blockers, on behavior and antinociception in the formalin and hot-plate tests in rats (60) 83
Marek, P., see Mogil, J.S. (60) 125
Maresca, M., see Procacci, P. (60) 352
Martin, G., see Montagne-Clavel, J. (60) 303
Martinsson, U., see Westlin, J.-E. (60) 111
Max, M.B., see Byas-Smith, M.G. (60) 267
McCormack, K.
Non-steroidal anti-inflammatory drugs and spinal nociceptive processing (60) 353
Mense, S., see Hoheisel, U. (60) 151
Meyer, R.A., see Cerveró, F. (60) 352
Michelacci, S., see Fanciullacci, M. (60) 119
Mikail, S.F., see De Gagné, T.A. (60) 195
Mitchell, D., see Gelgor, L. (60) 181
Mogil, J.S., Marek, P., Flodman, P., Spence, M.A., Sternberg, W.F., Kest, B., Sadowski, B. and Liebeskind, J.C.
One or two genetic loci mediate high opiate analgesia in selectively bred mice (60) 125
Montagne-Clavel, J., Oliveras, J.-L. and Martin, G.
Single-unit recordings at dorsal raphe nucleus in the awake-anesthetized rat: spontaneous activity and responses to cutaneous innocuous and noxious stimulations (60) 303
Muir, J., see Byas-Smith, M.G. (60) 267

Nagaro, T., Amakawa, K., Yamauchi, Y., Tabo, E., Kimura, S. and Arai, T.
Percutaneous cervical cordotomy and subarachnoid phenol block using fluoroscopy in pain control of costopleural syndrome (60) 355
Neundörfer, B., see Lang, E. (60) 295
Nielsen, K.K., see Poulsen, L. (60) 287
Nilsson, S., see Westlin, J.-E. (60) 111
Nolan, A.M., see Welsh, E.M. (60) 159

Ohba, M., see Sakurada, T. (60) 175
Oliveras, J.-L., see Montagne-Clavel, J. (60) 303

Pagni, C.A., see Canavero, S. (60) 229
Paulsen, J.S. and Altmaier, E.M.
The effects of perceived versus enacted social support on the discriminative cue function of spouses for pain behaviors (60) 103
Persson, J., Axelsson, G., Hallin, R.G. and L.Gustafsson, L.
Beneficial effects of ketamine in a chronic pain state with allodynia, possibly due to central sensitization (60) 217
Phillips, L.H., see Kiernan, B.D. (60) 39
Pilowsky, I., Spence, N., Rounsefell, B., Forsten, C. and Soda, J.
Out-patient cognitive-behavioural therapy with amitriptyline for chronic non-malignant pain: a comparative study with 6-month follow-up (60) 49
Planas, M.E., Rodriguez, L., Sanchez, S., Pol, O. and Puig, M.M.
Pharmacological evidence for the involvement of the endogenous opioid system in the response to local inflammation in the rat paw (60) 67
Pol, O., see Planas, M.E. (60) 67
Poulsen, L., Arendt-Nielsen, L., Brøsen, K., Nielsen, K.K., Gram, L.F. and Sindrup, S.H.
The hypoalgesic effect of imipramine in different human experimental pain models (60) 287
Price, D.D., see Kiernan, B.D. (60) 39
Procacci, P. and Maresca, M.
Comments on Cervero et al., PAIN, 58 (1994) 21–28 (60) 352
Puig, M.M., see Planas, M.E. (60) 67

Rappaport, Z.H. and Devor, M.
The riddle of trigeminal neuralgia – reply (60) 230
Reneman, R.S., see Kurvers, H.A.J.M. (60) 333
Rodriguez, L., see Planas, M.E. (60) 67
Romano, J.M., see Jensen, M.P. (60) 203
Romm, M.A., see Tracey, D.J. (60) 317

Ross, F.M., see Harper, A.C. (60) 73
Rounsefell, B., see Pilowsky, I. (60) 49
Rowe, M.A., see Jaffe, R.A. (60) 167

Sadowski, B., see Mogil, J.S. (60) 125
Sakurada, S., see Sakurada, T. (60) 175
Sakurada, T., Katsumata, K., Yogo, H., Tan-No, K., Sakurada, S., Ohba, M. and Kisara, K.
The neurokinin-1 receptor antagonist, sendide, exhibits antinociceptive activity in the formalin test (60) 175
Sanchez, S., see Planas, M.E. (60) 67
Sandkühler, J., Eblen-Zajjur, A., Fu, Q.-G. and Forster, C.
Differential effects of spinalization on discharge patterns and discharge rates of simultaneously recorded nociceptive and non-nociceptive spinal dorsal horn neurons (60) 55
Sessle, B.J., see Yu, X.-M. (60) 143
Sindrup, S.H., see Poulsen, L. (60) 287
Skjelbred, P., see Lökken, P. (60) 231
Skoglund, L.A., see Lökken, P. (60) 231
Slaaf, D.W., see Kurvers, H.A.J.M. (60) 333
Soda, J., see Pilowsky, I. (60) 49
Spence, M.A., see Mogil, J.S. (60) 125
Spence, N., see Pilowsky, I. (60) 49
Sprecher, E., see Yarnitsky, D. (60) 329
Sternberg, W.F., see Mogil, J.S. (60) 125
Straker, L.J., see Harper, A.C. (60) 73
Strang, P., see Westlin, J.-E. (60) 111
Strom, S.E., see Jensen, M.P. (60) 203

Tabo, E., see Nagaro, T. (60) 355
Tan-No, K., see Sakurada, T. (60) 175
Tracey, D.J., Cunningham, J.E. and Romm, M.A.
Peripheral hyperalgesia in experimental neuropathy: mediation by α2-adrenoreceptors on post-ganglionic sympathetic terminals (60) 317
Traycoff, R.B., Khardori, R. and Zhong, W.
Comments on DeConno (Pain, 55 (1993) 383–385) and Brown (Pain, 56 (1994) 139–143) (60) 233
Turner, J.A., see Jensen, M.P. (60) 203

Van den Wildenberg, F.A.J.M., see Kurvers, H.A.J.M. (60) 333
Ventafridda, V., see De Conno, F. (60) 234
Vernon, H., see Yu, X.-M. (60) 143

Walker, J.M.
Comments on Geisser et al., PAIN, 59 (1994) 79–83 (60) 350
Welsh, E.M. and Nolan, A.M.
The effect of abdominal surgery on thresholds to thermal and mechanical stimulation in sheep (60) 159
Westbrook, R.F., see Abbott, F.V. (60) 91
Westlin, J.-E., Letocha, H., Jakobson, Å., Strang, P., Martinsson, U. and Nilsson, S.
Rapid, reproducible pain relief with [^{131}I]iodine-meta-iodobenzylguanidine in a boy with disseminated neuroblastoma (60) 111

Yaksh, T.L., see Malmberg, A.B. (60) 83
Yamauchi, Y., see Nagaro, T. (60) 355
Yarnitsky, D., Sprecher, E., Zaslansky, R. and Hemli, J.A.
Heat pain thresholds: normative data and repeatability (60) 329
Yi, D.K. and Barr, G.A.
The induction of Fos-like immunoreactivity by noxious thermal, mechanical and chemical stimuli in the lumbar spinal cord of infant rats (60) 257
Yogo, H., see Sakurada, T. (60) 175
Yu, X.-M., Sessle, B.J., Vernon, H. and Hu, J.W.
Effects of inflammatory irritant application to the rat temporomandibular joint on jaw and neck muscle activity (60) 143

Zaslansky, R., see Yarnitsky, D. (60) 329
Zhong, W., see Traycoff, R.B. (60) 233